

Client Side

Server Side




Figure 1A
(PRIOR ART)

Client Side

Server Side




Figure 1B
(PRIOR ART)

0092/0" 04E92960




Figure 2




Figure 3

FIG. 5

Job Description:

Job Name:

Registration Visible: ☒ Yes ☐ No

Redirect Home To:

Info Service Assignment

Bar:

- ☐ Home
- ☐ Secure Mail*
- ☐ Personalization*
- ☐ Logout*
- ☐ Quick Search*

009220"04E92960

FIG. 6

User:

Last:

☒ Male ☐ Female

First:

Username:

Middle:

Password:

Job:

User State: ☒ Active ☐ Inactive

Locations:

☒ Set as Default

Email:

Address:

Phone:

FAX:

City:

Pager:

State: ZIP:

Pager Email:

009270-0492960

Personalization - Services

[Services](#) | [Messages](#) | [Change Password](#)

Save Changes

Undo Changes

Navigation Bar Services

Group name:

Services:

- ☒ Change Password
- ☒ Check Eligibility
- ☒ New Referrals
- ☒ Check Referrals
- ☒ Check Claims
- ☒ Send Claims
- ☒ Get Reports

Instructions

The services you select will appear in the left-hand navigation bar (the blue bar on the left side of the window)

When you are done making changes, click the 'Changes' button below, or click 'I restore the previous settings'.

Any changes you make will be re
the navigation bar is refreshed.

FIG. 7


```

graph TD
    250[user provides login URL to web browser  
250] --> 252[master server requests information identifying the user  
252]
    252 --> 254[web browser presents a GUI for the user to provide the identifying information  
254]
    254 --> 256[web browser transmits the identifying information to the master server  
256]
    256 --> 258[master server passes the identifying information to a shell service and requests the shell service to return code to the web browser for running an application shell  
258]
    258 --> 260[shell service passes the identifying information to a personalization service and requests a set of Internet applications associated with the user  
260]
    260 --> 262[personalization service accesses a database to determine the user's user category and to determine the set of Internet applications associated with the user's user category  
262]
    262 --> 264[personalization service accesses a database to determine a subset of the set of Internet applications to return to the shell service  
264]
    264 --> 266[personalization service returns the subset of Internet applications to the shell service  
266]
    266 --> 268[shell service transmits application shell code to the web browser, where the code comprises information usable for invoking the subset of Internet applications  
268]
    268 --> 270[web browser parses the code received from the shell service and runs the application shell  
270]
    270 --> 250

```

Figure 8

Figure 8

009270-04E92950




Figure 9